

MODERN STEEL™

garage doors



America's Favorite Garage Doors®



*Modern Steel™ / Modern Flush Panel; Shown in Black
with Plain Long Windows Down Right Side
Photo Credit: @triodevelops*

*Modern Steel™ / Modern Flush Panel; Shown in Black
with Plain Long Windows in all panel locations*



Scan to view
Modern Steel
photo gallery



MODERN STEEL™






Whether it's a modern makeover or a retro redo, our Modern Steel™ garage doors come in many low-maintenance styles to boost your home's curb appeal. Let your creativity flow as you design a door with or without grooves, add square, rectangular or contemporary slim windows in a unique layout, or keep it sleek with a solid flush panel motif. All are available in multiple paint colors, as well as Ultra-Grain® wood-look and Lustra™ matte finishes to complement the look for your home.

MODEL AVAILABILITY



DOOR DESIGNS

Door design examples shown at 9' wide x 8' high
Available window options listed below model number
(See back cover for examples of window options)

DOOR DESIGNS										3-LAYER								2-LAYER			1-LAYER			
Door design examples shown at 9' wide x 8' high Available window options listed below model number (See back cover for examples of window options)										2" Polyurethane		1-3/8" Polyurethane		2" Bonded Polystyrene		1-3/8" Bonded Polystyrene		1-5/16" Polystyrene		Non-Insulated				
										18.4 R-value		12.9 R-value		9.0 R-value		6.5 R-value		6.3 R-value						
TEXTURE																								
MODERN FLUSH										Door constructed using 24", 21" and 18" section heights														
								9202 Contemporary Windows		9132 Contemporary Windows		4302 Contemporary Windows		4132 Contemporary Windows										
Solid			Window Sections			Woodgrain																		
MODERN FLUSH										Door constructed using 21" and 18" section heights														
								9201 Contemporary and Decorative Windows		9131 Contemporary and Decorative Windows		4301 Contemporary and Decorative Windows		4051 Decorative Windows		T42F (24 Gauge Steel) Decorative Windows		T40F 4F (24 Gauge Steel) Decorative Windows						
Solid			Window Sections			Woodgrain																		
MODERN FLUSH										Door constructed using 24", 21" and 18" section heights														
								9208 Contemporary and Slim Windows		9138 Contemporary Windows		4308 Contemporary and Slim Windows		4138 Contemporary Windows										
Solid			Contemporary Windows			Stucco**																		
MODERN GROOVED										Door constructed using 24", 21" and 18" section heights														
								9205 Contemporary Windows				4305 Contemporary Windows												
Solid			Window Sections			Stucco*																		
MODERN GROOVED										Door constructed using 24" and 21" section heights														
								9209 Contemporary and Slim Windows		9139 Contemporary Windows		4309 Contemporary and Slim Windows												
Solid			Contemporary Windows			Stucco**																		
COLOR AVAILABILITY	Standard White	Almond	Desert Tan	Sandtone	Bronze	Chocolate	Mocha Brown	Hunter Green	Charcoal	Iron Ore	Black	Lustra Black	Lustra Charcoal	Lustra Silver	Ultra-Grain Cypress Medium	Ultra-Grain Cypress Cherry	Ultra-Grain Cypress Walnut	Ultra-Grain Cypress Slate	Ultra-Grain Plank Coastal Gray	Ultra-Grain Plank Natural	Ultra-Grain Plank Cedar	Ultra-Grain Plank Kona	Ultra-Grain Plank Barnwood	Ultra-Grain Plank Espresso
9202, 9205	■	■	■	■	■	■	■		■	■	■		■	■	■	■	■	■		■	■	■	■	■
9208	■	■	■	■	■	■	■		■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■
9209	■	■	■	■	■	■	■		■	■	■	■	■	■	■	■	■	■						
9201	■	■	■	■	■	■	■	■	■	■	■													
9132, 9138, 9139	■	■	■	■	■	■	■		■	■	■				■	■	■	■						
9131	■	■	■	■	■	■	■	■	■	■	■													
4302, 4305, 4308, 4309	■	■	■	■	■	■	■		■	■	■				■	■	■	■						
4301	■	■	■	■	■	■	■	■	■	■	■													
4132	■	■	■	■	■	■	■		■	■	■				■	■	■	■						
4051	■	■	■	■	■	■					■													
4138	■	■	■	■	■	■	■		■	■	■				■	■	■	■						
T42F, T40F	■	■	■	■		■																		
4F	■	■	■	■		■				■														

Calculated door section R-value is in accordance with DASMA TDS-163. For more information about color options see page 4.

* Exterior steel surface on Ultra-Grain® Cypress finish door has a woodgrain texture.

† Exterior steel surface on a Lustra™ finish door has a subtle matte texture on a smooth flush panel.

STANDARD COLORS



- Exterior steel surface on standard color doors has either a stucco or woodgrain embossed texture depending on the model (see chart on page 3 for details).
- Doors can be painted using a high-quality latex exterior paint. Do not use oil-based paint.


**Additional charges apply (Note: door uses 24 gauge steel).*

Due to the printing process, colors may vary.

Order free color samples at www.clopaydoor.com/requestcoloursamples.

Not all colors available on all models. See previous page for availability.

ULTRA-GRAIN® FINISH



- Low maintenance, stained wood-look steel door with less upkeep.
- Exterior steel surface has an embossed woodgrain texture with horizontal Cypress Ultra-Grain.
- Window frames, grilles and inserts are painted a solid color to complement Ultra-Grain® finishes.

Due to the printing process, colors may vary.

Order free color samples at www.clopaydoor.com/requestcoloursamples.

Not all colors available on all models. See previous page for availability.

Additional charges apply.

CUSTOM PAINT OPTION



Choose from over 1,500 Sherwin-Williams® paint colors to complement your home with Clopay's Color Blast® factory-finishing option. Our durable two-part paint system is tested and backed by a five-year warranty.

LUSTRA™ FINISH



Prefer a different look than an embossed woodgrain or stucco steel surface texture? Lustra™ is a low-gloss matte finish available in Black, Charcoal and Silver. Paired with contemporary slim windows or as a solid door, it's easy to create an eye-catching facade that's both energy efficient and durable.

- Door features 24 gauge flush panel steel exterior.
- Window frames, grilles and inserts are painted a solid color to complement Lustra finishes.
- Due to the unique matte finish texture, Lustra™ doors cannot be painted a different color.


Due to the printing process, colors may vary.

Order free color samples at www.clopaydoor.com/requestcoloursamples.

Not all colors available on all models. See previous page for availability.

Additional charges apply.

ULTRA-GRAIN® PLANK



Rustic meets modern on this unique flush panel steel door design featuring digitally printed horizontal planks with a wood-look appearance. The planks vary in length with no repeating grain pattern and a nice tonal variation for visual interest.

- Complements mid-century, farmhouse, coastal cottage and transitional home styles.
- Steel surface has an embossed stucco texture.
- Window frames are painted a solid color to complement Ultra-Grain® finishes or come in contrasting Silver and Black accent colors.

Due to the printing process, colors may vary.

Order free color samples at www.clopaydoor.com/requestcoloursamples.

Not all colors available on all models. See previous page for availability.

Additional charges apply.

Modern Steel™ / Modern Flush Panel;
Shown in Ultra-Grain® Plank Kona Finish



HIGH R-VALUES

Delivering high R-values, our proprietary Intellicore® polyurethane foam insulated doors are stronger, quieter and save on energy use year-round. Your garage will feel 10 – 20 degrees warmer in the winter and cooler in the summer.



ENERGY EFFICIENCY

Provides year-round comfort

THERMAL BREAK

Separates steel skins to improve energy efficiency

18.4 R-VALUE

Highest R-value in its class

DURABILITY

Enhanced strength reduces dents

NOISE LEVEL

Dense insulation reduces operating noise

RUST PREVENTION

Layered coating system helps protect steel finish

Thermal break is not present on 4051, 2-layer and 1-layer models.

ADDITIONAL FEATURES

- Tongue-and-groove section joints keep out wind, rain and snow.
- Replaceable vinyl bottom weatherseal in a corrosion-resistant retainer helps seal out the elements.
- 2" thick polystyrene and all Intellicore® insulated doors come standard with 10-ball nylon rollers and heavy-duty 14 gauge steel hinges.
- Clopay's Safe-T-Bracket® helps prevent serious injury that could occur if the bottom bracket were removed with the garage door closed and under tension.
- Durable, color-matched exterior step plate/lift handles allow for safe and convenient opening and closing.
- Window grilles are removable for easy cleaning.
- Built-in WindCode® door reinforcement available for high wind load applications.

Refer to your door's Care and Maintenance Manual for additional information.

RUST-PREVENTION SYSTEM



Steel skins are protected through a tough, layered coating system, including a hot-dipped galvanized layer, a protective metal oxide pretreatment and a baked-on primer and top coat.

ENVIRONMENTAL ASSURANCE

All Clopay doors are compliant with environmental laws and regulations and do not contain HFCs:

- California SB 1013
- New Jersey A-5583/S-3919 – Greenhouse Gas Bill
- Washington HB 1112 – Hydrofluorocarbon Greenhouse Gas Emissions
- Canadian regulations amending the ozone-depleting substances and halocarbon alternatives regulations
- 2" thick polystyrene doors and all Intellicore® insulation doors comply with 2015 IECC air infiltration requirement of 0.40 cfm/ft² or less (IECC, Section C402.5.2).

WARRANTIES

PAINT SYSTEM	WINDOW	HARDWARE
LIMITED LIFE WARRANTY	LIMITED 10YR WARRANTY	LIMITED 3YR WARRANTY

*Modern Steel™ / Modern Grooved Panel; Shown in Ultra-Grain® Cypress Medium Finish with Contemporary Slim Frosted Windows and Black Frames Down Left Side
Photo Credit: Andy Frame Photography*



*Modern Steel™ / Modern Flush Panel;
Shown in Black with Plain Long Windows Down Left Side
Photo Credit: Andy Frame Photography*

POPULAR CONTEMPORARY WINDOW CONFIGURATIONS


Modern Steel doors can be designed with short, long or contemporary slim windows in many configurations including vertically stacked down one side of the door, stacked on both sides of the door, and placed in all sections. The window placement must be the same in every panel on doors with multiple window sections.

When configuring contemporary window placement, please refer to the examples provided to indicate the desired location. The illustrations show windows and solid sections from the outside of the garage. The ordering codes listed beneath are from the inside of the garage looking out as described below.


SOL=Solid (no window) location
GL=Glazed (window) location

Sections are numbered from the floor up to the top of the door.

Example: Windows down right side
 (from inside garage looking out)



View from Inside Garage




View from Outside Garage

SHORT WINDOW CONFIGURATIONS (Viewed from outside)




SOL-SOL-SOL-GL
 Sections: 1, 2, 3, 4



SOL-SOL-SOL-SOL-SOL-SOL-SOL-GL-GL
 Sections: 1, 2, 3, 4




GL-SOL-SOL-SOL
 Sections: 1, 2, 3, 4




GL-GL-SOL-SOL-SOL-SOL-SOL-SOL-SOL
 Sections: 1, 2, 3, 4



GL-SOL-SOL-GL
 Sections: 3, 4



GL-GL-SOL-SOL-SOL-SOL-SOL-SOL-GL-GL
 Sections: 3, 4




GL-GL-GL-GL
 Sections: 1, 2, 3, 4




GL-GL-GL-GL-GL-GL-GL-GL-GL-GL
 Sections: 1, 2, 3, 4


LONG WINDOW CONFIGURATIONS (Viewed from outside)




SOL-GL
 Sections: 1, 2, 3, 4



SOL-SOL-SOL-GL
 Sections: 1, 2, 3, 4



GL-SOL
 Sections: 1, 2, 3, 4



GL-SOL-SOL-SOL
 Sections: 1, 2, 3, 4



GL-GL
 Sections: 3, 4



GL-GL-GL-GL
 Sections: 3, 4




GL-GL
 Sections: 1, 2, 3, 4




GL-GL-GL-GL
 Sections: 1, 2, 3, 4

SLIM WINDOW CONFIGURATIONS (Viewed from outside)




SOL-GL
 Sections: 1, 2, 3, 4




SOL-SOL-SOL-GL
 Sections: 1, 2, 3, 4



GL-SOL
 Sections: 1, 2, 3, 4



GL-SOL-SOL-SOL
 Sections: 1, 2, 3, 4



GL-GL
 Sections: 3, 4



GL-GL-GL-GL
 Sections: 3, 4



GL-GL
 Sections: 1, 2, 3, 4



GL-GL-GL-GL
 Sections: 1, 2, 3, 4


Window configurations shown above apply to Models 9208, 9209, 9138, 9139, 4308, 4309 and 4138.

These doors use 24" and 21" section heights, allowing for these configurations.


Tempered glass options include:
 Clear, Midnight Gray, Frosted,
 Obscure, Narrow Reed.

Slim window designs are only
 available with tempered Clear,
 Midnight Gray or Frosted insulated glass.

Other glass types and custom glass are available.



Clear




Midnight Gray



Frosted



Obscure



Narrow Reed

WINDOW OPTIONS

Windows bring natural light into the garage and enhance your home's curb appeal. All Clopay window frames are UV-protected and are color matched to our prefinished door colors. Window frames screw in from the inside for easy glass replacement or to change designs.

CONTEMPORARY/ARCHITECTURAL SERIES WINDOWS

These windows feature a larger viewing area and are available on select models and door heights. Short windows are 19-1/2" x 16"; long windows are 42" x 16".

Available on These Models

9202 9139*
9201 4302
9208** 4301
9205 4308*
9209** 4305
9132 4309*
9131 4132
9138* 4138*



Plain Short



Plain Long



ARCH2



ARCH1



ARCH3



REC12



REC14



Vertical Grille on ARCH2



Vertical Grille on ARCH1



Vertical Grille on ARCH3



SQ22



SQ24



Grille on ARCH2



Grille on ARCH1



Grille on ARCH3



Wrought Iron Short (Acrylic)




Wrought Iron Long (Acrylic)




Wrought Iron ARCH (Acrylic)

*Models available only with plain, rectangular grille and square grille windows.
**Ultra-Grain® Plank and Lustra™ finishes available only with plain windows.


Choose from single pane or insulated glass.




Clear



Midnight Gray



Frosted



Obscure



Narrow Reed

CONTEMPORARY SLIM WINDOWS

Contemporary Slim windows have Mid-Century Modern appeal. The windows are 37" x 8" with aluminum frames powder coated in Silver or Black.

Available on These Models

9208 4308
9209 4309




378SV
Silver




378BK
Black


Windows available with insulated tempered glass.



Clear



Midnight Gray



Frosted

DECORATIVE INSERT SERIES WINDOWS

UV-protected cellular plastic inserts snap into the inside or outside of the window frame for easy cleaning or to change designs. Windows are available in single strength, double strength, acrylic, obscure or insulated glass. Short windows are 19-1/2" x 12"; long windows are 40-1/2" x 12".

Available on These Models

9201 T42F
9131 T40F
4301 4F
4051



Plain Short†



Plain Long†



Prairie 510



Prairie 610



Madison 611



Madison Arch 613



Colonial 509



Stockton 612



Sunset 501† (8', 9', 12', 16', 17', 18' widths only)



Sunset 502† (7', 7'6", 12' widths only)



Sunset 503† (8', 9', 16', 17', 18' widths only)



Charleston 508



Charleston 608



Sunset 504† (14', 15', 15'6" widths only)



Sunset 505† (16', 17', 18' widths only)



Sunset 506† (10', 20' widths only)



Sunset 601†




Sunset 603†




Sunset 605†

Choose from single pane or insulated glass.

Clear acrylic is also available.



Clear



Frosted



Obscure



Rain

† Shown with clear glass.

†Sunset windows not available on Ultra-Grain® or Lustra™ finish doors.

Additional charges for optional glass apply.

Acrylic windows require special cleaning. See care and maintenance manual.



Visit clopaydoor.com or call 1-800-2CLOPAY (225-6729) for more information on Clopay, America's Favorite Garage Doors.

Follow us on



©2025 Clopay Corporation. All rights reserved.

RSR-ModernSteelSS-15_REV0925



START DESIGNING
YOUR NEW
GARAGE DOOR
OPEN CAMERA
AND POINT!